

Safety Data Sheet

Issue Date: 04-Nov-2019

Revision Date: 10-Dec-2019

Version 2

1. IDENTIFICATION

Product identifier

Product Name STS Tire Sealant

Other means of identification

SDS # IMI-002

Recommended use of the chemical and restrictions on use

Recommended Use Tire sealant.

Details of the supplier of the safety data sheet

Supplier Address

IMI – International Marketing Inc
3183 Black Gap Road
Chambersburg, PA 17202
1-800-233-7086
info@imiproducts.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Thick black liquid

Physical state Liquid

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Please also refer to subsequent sections of this SDS for additional information regarding the components of this product.

Chemical name	CAS No	Weight-%
Glycerol	56-81-5	30-40
Proprietary additive	Proprietary	1-5
Proprietary binder	Proprietary	1-5
Carbon Black	1333-86-4	1-5
Natural Rubber	9006-04-6	1-5
Glutaraldehyde	111-30-8	<0.1
Methanol	67-56-1	<0.1
Quartz	14808-60-7	<0.1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Get medical advice/attention if you feel unwell. Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if necessary.
Skin Contact	Wash irritated area with plenty of soap and water. Take off contaminated clothing and wash before reuse. Seek medical attention if necessary.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a comfortable breathing position. Seek medical attention if necessary.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. If conscious give 2 glasses of water to dilute. Never give anything by mouth to an unconscious person. Call a poison center or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms	May cause nausea, vomiting, stomach ache, and diarrhea. May cause skin and eye irritation. Can cause allergic response in susceptible or hypersensitive individuals upon repeated or prolonged exposure.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb with non-combustible liquid-binding material.

Methods for Clean-Up Sweep up and shovel into suitable containers for disposal. For waste disposal, see section

13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Glycerol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-
Proprietary additive	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 5 mg/m ³ (vacated) STEL: 10 mg/m ³	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust TWA: 1 mg/m ³
Proprietary binder	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Carbon Black 1333-86-4	TWA: 3 mg/m ³ inhalable particulate matter	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
Natural Rubber 9006-04-6	TWA: 0.0001 mg/m ³ inhalable allergenic proteins inhalable particulate matter S*	-	-
Glutaraldehyde 111-30-8	Ceiling: 0.05 ppm activated and inactivated	(vacated) Ceiling: 0.2 ppm (vacated) Ceiling: 0.8 mg/m ³	Ceiling: 0.2 ppm Ceiling: 0.8 mg/m ³
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust

		respirable fraction	
--	--	---------------------	--

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Showers
 Eyewash stations
 Ventilation systems. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Protective eyewear (e.g. goggles or full-face shield). Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection In case of inadequate ventilation wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Not determined
Appearance	Thick black liquid	Odor Threshold	Not determined
Color	Black		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	10-11	
Melting point / freezing point	-23°C	
Boiling point / boiling range	Not determined	
Flash point	>371°C	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	Not determined	
Lower flammability or explosive limits	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Relative Density	1.10-1.13	
Water Solubility	>90%	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	4,200-6,000 cps	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity
 Not reactive under normal conditions.

Chemical stability
 Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Smoke, fumes or vapors, and oxides of carbon.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Eye Contact	May cause temporary irritation on eye contact.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Inhalation	Do not inhale.
Ingestion	May cause nausea, vomiting, stomach ache, and diarrhea.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Glycerol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m ³ (Rat) 1 h
Proprietary additive	> 5 g/kg (Rat)	> 2 g/kg (Rabbit) > 2000 mg/kg (Rabbit)	> 5800 mg/m ³ (Rat) 4 h
Proprietary binder	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
Glutaraldehyde 111-30-8	= 252 mg/kg (Rat)	= 1800 mg/kg (Rabbit) = 560 μL/kg (Rabbit)	= 23.5 ppm (Rat) 4 h = 40.1 ppm (Rat) 4 h
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit) = 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The proprietary additive, Carbon Black, and Quartz are possible carcinogens only when they appear as respirable dust.

Chemical name	ACGIH	IARC	NTP	OSHA
Proprietary additive		Group 1	Known	X
Carbon Black 1333-86-4	A3	Group 2B		X
Quartz 14808-60-7	A2	Group 1	Known	X

Legend

- ACGIH (American Conference of Governmental Industrial Hygienists)**
- A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**
- Group 1 - Carcinogenic to Humans
- Group 2A - Probably Carcinogenic to Humans
- Group 2B - Possibly Carcinogenic to Humans
- NTP (National Toxicology Program)**
- Known - Known Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)**
- X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

- Oral LD50** 25,189.70 mg/kg
- Dermal LD50** 17,766.10 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Glycerol 56-81-5		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	500: 24 h Daphnia magna mg/L EC50
Carbon Black 1333-86-4			5600: 24 h Daphnia magna mg/L EC50
Glutaraldehyde 111-30-8	0.84: 96 h Desmodesmus subspicatus mg/L EC50 0.61: 72 h Desmodesmus subspicatus mg/L EC50	7.8 - 22: 96 h Lepomis macrochirus mg/L LC50 static 5.4: 96 h Pimephales promelas mg/L LC50 static 7.8 - 13: 96 h Oncorhynchus mykiss mg/L LC50 static 2.6 - 4.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	0.56 - 1.0: 48 h Daphnia magna mg/L EC50 Static 14: 48 h Daphnia magna mg/L EC50
Methanol 67-56-1		19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 28200: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical name	Partition coefficient
Glycerol 56-81-5	-1.76
Glutaraldehyde 111-30-8	0.22
Methanol 67-56-1	-0.77

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol 67-56-1		Included in waste stream: F039		U154

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Glutaraldehyde 111-30-8	Toxic
Methanol 67-56-1	Toxic Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Glycerol	X	ACTIVE	X	X	X	X	X	X	X
Proprietary additive	X	ACTIVE	X	X		X	X	X	X
Proprietary binder	X	ACTIVE	X	X		X	X	X	X
Carbon Black	X	ACTIVE	X	X	X	X	X	X	X
Natural Rubber	X	ACTIVE	X	X		X	X	X	X
Glutaraldehyde	X	ACTIVE	X	X	X	X	X	X	X
Methanol	X	ACTIVE	X	X	X	X	X	X	X
Quartz	X	ACTIVE	X	X	X	X	X	X	X

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS - Japan Existing and New Chemical Substances
- IECSC - China Inventory of Existing Chemical Substances
- KECL - Korean Existing and Evaluated Chemical Substances
- PICCS - Philippines Inventory of Chemicals and Chemical Substances
- AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) However no ingredients are present in this product above the reportable quantities as it is currently packaged

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 However no ingredients are present in this product above the reportable quantities as it is currently packaged

CWA (Clean Water Act)

This product contains substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) However no ingredients are present in this product above the reportable quantities as it is currently packaged

US State Regulations

California Proposition 65

CALIFORNIA PROPOSITION 65: WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

Chemical name	California Proposition 65
Carbon Black	Carcinogen
Methanol	Reproductive
Quartz	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Glycerol 56-81-5	X	X	X
Proprietary additive	X	X	X
Proprietary binder	X	X	X
Carbon Black	X	X	X
Glutaraldehyde	X	X	X
Methanol	X	X	X
Quartz	X	X	X

16. OTHER INFORMATION

NFPA

Health Hazards

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS

Health Hazards

Not determined

Flammability

Not determined

Physical hazards

Not determined

Personal Protection

Not determined

Issue Date:

04-Nov-2019

Revision Date:

10-Dec-2019

Revision Note:

Regulatory update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet